



NOTES:
 1. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL FIRE ALARM AND SIGNAL CODE (NFPA 72).
 2. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NATIONAL MECHANICAL CODE (NMC) AND THE NATIONAL PLUMBING CODE (NPC).
 3. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE NATIONAL BUILDING CODE (NBC) AND THE NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) STANDARDS.

SYMBOL	DOOR	SCHEDULE	NOTE
A	DOOR	1	DOOR TO CLASSROOM
B	DOOR	2	DOOR TO RESTROOM
C	DOOR	3	DOOR TO HALLWAY
D	DOOR	4	DOOR TO OFFICE
E	DOOR	5	DOOR TO STORAGE
F	DOOR	6	DOOR TO MECHANICAL ROOM
G	DOOR	7	DOOR TO ELECTRICAL ROOM
H	DOOR	8	DOOR TO PLUMBING ROOM
I	DOOR	9	DOOR TO OFFICE
J	DOOR	10	DOOR TO STORAGE
K	DOOR	11	DOOR TO MECHANICAL ROOM
L	DOOR	12	DOOR TO ELECTRICAL ROOM
M	DOOR	13	DOOR TO PLUMBING ROOM
N	DOOR	14	DOOR TO OFFICE
O	DOOR	15	DOOR TO STORAGE
P	DOOR	16	DOOR TO MECHANICAL ROOM
Q	DOOR	17	DOOR TO ELECTRICAL ROOM
R	DOOR	18	DOOR TO PLUMBING ROOM
S	DOOR	19	DOOR TO OFFICE
T	DOOR	20	DOOR TO STORAGE
U	DOOR	21	DOOR TO MECHANICAL ROOM
V	DOOR	22	DOOR TO ELECTRICAL ROOM
W	DOOR	23	DOOR TO PLUMBING ROOM
X	DOOR	24	DOOR TO OFFICE
Y	DOOR	25	DOOR TO STORAGE
Z	DOOR	26	DOOR TO MECHANICAL ROOM

NOTE:
 EACH EXIT DOOR IS ABLE TO ACCOMMODATE:
 (A) 200 PERSONS
 (B) 200 PERSONS
 (C) 200 PERSONS
 (D) 200 PERSONS
 (E) 200 PERSONS
 (F) 200 PERSONS
 (G) 200 PERSONS
 (H) 200 PERSONS
 (I) 200 PERSONS
 (J) 200 PERSONS
 (K) 200 PERSONS
 (L) 200 PERSONS
 (M) 200 PERSONS
 (N) 200 PERSONS
 (O) 200 PERSONS
 (P) 200 PERSONS
 (Q) 200 PERSONS
 (R) 200 PERSONS
 (S) 200 PERSONS
 (T) 200 PERSONS
 (U) 200 PERSONS
 (V) 200 PERSONS
 (W) 200 PERSONS
 (X) 200 PERSONS
 (Y) 200 PERSONS
 (Z) 200 PERSONS

LIFE SAFETY PARAMETERS
 1. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 2. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 3. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 4. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 5. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 6. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 7. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 8. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 9. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 10. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 11. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 12. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 13. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 14. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 15. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 16. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 17. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 18. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 19. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 20. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 21. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 22. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 23. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 24. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 25. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 26. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 27. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 28. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 29. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS
 30. OCCUPANT LOAD:
 10 CLASSROOMS AT 40/100 SQ. FT. = 40 OCCUPANTS

NOTE:
 EACH EXIT DOOR IS ABLE TO ACCOMMODATE:
 (A) 200 PERSONS
 (B) 200 PERSONS
 (C) 200 PERSONS
 (D) 200 PERSONS
 (E) 200 PERSONS
 (F) 200 PERSONS
 (G) 200 PERSONS
 (H) 200 PERSONS
 (I) 200 PERSONS
 (J) 200 PERSONS
 (K) 200 PERSONS
 (L) 200 PERSONS
 (M) 200 PERSONS
 (N) 200 PERSONS
 (O) 200 PERSONS
 (P) 200 PERSONS
 (Q) 200 PERSONS
 (R) 200 PERSONS
 (S) 200 PERSONS
 (T) 200 PERSONS
 (U) 200 PERSONS
 (V) 200 PERSONS
 (W) 200 PERSONS
 (X) 200 PERSONS
 (Y) 200 PERSONS
 (Z) 200 PERSONS



APPROVED
07 16 2024

EMIC

CONSULTING ENGINEER WARE TOMASHER, P.L.L.C. - 5000 CLAYTON DRIVE - GREENSBORO, N.C. 27409 - 334-335-2419

DIAMOND BUILDERS INC.
 10000 W. STATE ST. SUITE 100
 GREENSBORO, NC 27409
 334-335-2419

PROJECT NO. 24-0001
 SHEET NO. 10 OF 10
 DATE: 07/15/2024
 DRAWN BY: JTB
 CHECKED BY: JTB
 APPROVED BY: JTB
 LICENSE NO. 41850
 EXPIRES: 07/15/2025

LIFE SAFETY

